










Product Name	Respiratory Face Mask		
Model	M-9520C		
Photo			
Intended Use	As a respirator, it is intended to help reduce wearer exposure to certain airborne particles (solid and liquid aerosols) which are hazardous to health.		
Reference standard	EN 149:2001+A1:2009	Classification	FFP2 NR
Reference regulation	Regulation (EU) 2016/425 of the European Parliament and of the Council		
Component	Face Mask Body、 Nose Clip、 Earloop、 Sponge pad		
Material	Polypropylene non-woven fabrics		
Specs	Maximum penetration of test aerosol : < 6% Total inward leakage (TIL) : < 8% Inhalation resistance : < 70 Pa at 30L/min, < 240 Pa at 95L/min Exhalation resistance : < 300 Pa at 160L/min		
Checks prior to use	Before use, check the date of storage of a mask and the technical condition whether a mask has no visible mechanical damage, is not contaminated or incomplete. A damaged mask and the one whose storage data has been exceeded cannot be used		
Usage Method	<ol style="list-style-type: none"> 1. Pull an extend the mask inner side to the face with two hands, ensure the nose clip is upward. 2. Hold the mask on the face and pull the earloop to the ears. 3. Press the nose clip to fit the shape of the nose. 4. Check and press the mask fit to the face to minimize leakage. If you cannot achieve a proper seal, DO NOT enter the contaminated area. See your supervisor. 		
Duration	Less than 8 hours is recommended.		

Limitations	<p>1.The product is non-sterile, please don't use in environment sterile required.</p> <p>2.It does not protect the respiratory system against aerosols containing radioactive particles, viruses and enzymes.</p>
Warning	<p>1、 This respirator helps protect against certain particulate contaminants but does not eliminate exposure to or the risk of contracting any disease or infection. Before any use please read carefully the instructions for use and keep it. Never use a product outside its intended area of use. It is brought to the attention of users that a product, even tested and certified according to one or more standards, is never a total guarantee of protection against the risk (s) involved. Always read the limits of use and protection and the precautions for use. Failure to follow all instructions and limitations on the use of this product could reduce the effectiveness of respirator and result in sickness or death. For proper use, see supervisor, or user Instructions, or contact occupational safety for instruction.</p> <p>2、 This product does not supply oxygen. Use only in adequately ventilated areas containing sufficient oxygen to support life.</p> <p>3、 Do not use when concentrations of contaminants are immediately dangerous to health or life.</p> <p>4、 Do not use in explosive atmospheres.</p> <p>5、 Leave work area immediately and return to fresh air if (a) breathing becomes difficult, or b) dizziness or other distress occurs.</p> <p>6、 Facial hairs or beards and certain facial characteristics may reduce the effectiveness of this respirator.</p> <p>7、 Never alter or modify this respirator in any way.</p>
Shelf Life	Three Years
Storage condition	Storage under dry and room temperature, away from light.
Manufacturer	<p>Company: Trust Loyalty & Glory Epoch Network Technology Co., Ltd.</p> <p>Address: No. 39 Jiangpu Road, Suzhou Industrial Park, Suzhou City, Jiangsu Province, China</p> <p>Website: http://www.mainage.com/</p>
EU Authorized representative:	<p>Name: Lotus NL B.V.</p> <p>Address: Koningin Julianaplein 10,1e Verd, 2595AA, The Hague, Netherlands.</p> <p>E-mail: peter@lotusnl.com</p>
The notified body involved in the conformity assessment and The notified supervisory body:	<p>BSI Group The Netherlands B.V.</p> <p>Say Building, John M. Keynesplein 9, 1066 EP, Amsterdam</p> <p>Notified Body No. NB 2797</p>

Explanation of graphic signs and symbols used	 <p>End of shelf life yyyy/mm</p>	 <p>See information supplied by the manufacturer</p>
	 <p>Temperature range of storage conditions</p>	 <p>Maximum relative humidity of storage conditions</p>
	<p>FFP2: symbols of the protective class of the filtering half-mask (protection level in accordance with EN 149:2001+A1:2009)</p>	 <p>The product meets the basic requirements of European</p>
	 <p>Do not reuse</p>	 <p>Don't use when packing damaged</p>